

com.1 Lindenbaum's Lemma

fol:com:lin:
sec We now prove a lemma that shows that any consistent set of sentences is contained in some set of sentences which is not just consistent, but also complete. explanation The proof works by adding one sentence at a time, guaranteeing at each step that the set remains consistent. We do this so that for every φ , either φ or $\neg\varphi$ gets added at some stage. The union of all stages in that construction then contains either φ or its negation $\neg\varphi$ and is thus complete. It is also consistent, since we make sure at each stage not to introduce an inconsistency.

fol:com:lin:
lem:lindenbaum **Lemma com.1 (Lindenbaum's Lemma).** *Every consistent set Γ in a language \mathcal{L} can be extended to a complete and consistent set Γ^* .*

Proof. Let Γ be consistent. Let $\varphi_0, \varphi_1, \dots$ be an enumeration of all the sentences of \mathcal{L} . Define $\Gamma_0 = \Gamma$, and

$$\Gamma_{n+1} = \begin{cases} \Gamma_n \cup \{\varphi_n\} & \text{if } \Gamma_n \cup \{\varphi_n\} \text{ is consistent;} \\ \Gamma_n \cup \{\neg\varphi_n\} & \text{otherwise.} \end{cases}$$

Let $\Gamma^* = \bigcup_{n \geq 0} \Gamma_n$.

Each Γ_n is consistent: Γ_0 is consistent by definition. If $\Gamma_{n+1} = \Gamma_n \cup \{\varphi_n\}$, this is because the latter is consistent. If it isn't, $\Gamma_{n+1} = \Gamma_n \cup \{\neg\varphi_n\}$. We have to verify that $\Gamma_n \cup \{\neg\varphi_n\}$ is consistent. Suppose it's not. Then both $\Gamma_n \cup \{\varphi_n\}$ and $\Gamma_n \cup \{\neg\varphi_n\}$ are inconsistent. This means that Γ_n would be inconsistent by ???????????????? , contrary to the induction hypothesis.

For every n and every $i < n$, $\Gamma_i \subseteq \Gamma_n$. This follows by a simple induction on n . For $n = 0$, there are no $i < 0$, so the claim holds automatically. For the inductive step, suppose it is true for n . We have $\Gamma_{n+1} = \Gamma_n \cup \{\varphi_n\}$ or $= \Gamma_n \cup \{\neg\varphi_n\}$ by construction. So $\Gamma_n \subseteq \Gamma_{n+1}$. If $i < n$, then $\Gamma_i \subseteq \Gamma_n$ by inductive hypothesis, and so $\Gamma_i \subseteq \Gamma_{n+1}$ by transitivity of \subseteq .

From this it follows that every finite subset of Γ^* is a subset of Γ_n for some n , since each $\psi \in \Gamma^*$ not already in Γ_0 is added at some stage i . If n is the last one of these, then all ψ in the finite subset are in Γ_n . So, every finite subset of Γ^* is consistent. By ???????????????? , Γ^* is consistent.

Every sentence of $\text{Frm}(\mathcal{L})$ appears on the list used to define Γ^* . If $\varphi_n \notin \Gamma^*$, then that is because $\Gamma_n \cup \{\varphi_n\}$ was inconsistent. But then $\neg\varphi_n \in \Gamma^*$, so Γ^* is complete. \square

Photo Credits

Bibliography