

$\simeq$		$\tilde{\wedge}$	T	F	$\tilde{\vee}$	T	F	$\tilde{\supset}$	T	F
T	F	T	T	F	T	T	T	T	T	F
F	T	F	F	F	F	T	F	F	T	T

Figura 1: Truth functions for classical logic **C**.

mvl:syn:mat:
fig:tf-CL

-NoValue-

syn.1 Matrices

mvl:syn:mat:
sec A many-valued logic is defined by its language, its set of truth values V , a subset of designated truth values, and truth functions for its connective. Together, these elements are called a *matrix*.

mvl:syn:mat:
defn:matrix **Definição syn.1 (Matrix).** A *matrix* for the logic **L** consists of:

1. a set of connectives making up a language $\mathcal{L}$;
2. a set $V \neq \emptyset$ of truth values;
3. a set $V^+ \subseteq V$ of designated truth values;
4. for each n -place connective $\star$ in $\mathcal{L}$, a truth function $\tilde{\star} : V^n \rightarrow V$. If $n = 0$, then $\tilde{\star}$ is just an element of V .

Exemplo syn.2. The matrix for classical logic **C** consists of:

1. The standard propositional language $\mathcal{L}_0$ with $\perp, \neg, \wedge, \vee, \rightarrow$.
2. The set of truth values $V = \{\mathbb{T}, \mathbb{F}\}$.
3. $\mathbb{T}$ is the only designated value, O.s., $V^+ = \{\mathbb{T}\}$.
4. For $\perp$, we have $\tilde{\perp} = \mathbb{F}$. The other truth functions are given by the usual truth tables (see [Figura 1](#)).

Créditos das Imagens

Referências Bibliográficas