

-NoValue-

prf.1 Soundness

nml:prf:snd:
sec

A **derivação** system is called sound if everything that can be **derivad** is valid. When considering modal systems, O.s., **derivações** where in addition to K we can use instances of some **fórmulas** $\varphi_1, \dots, \varphi_n$, we want every **derivável** formula to be true in any model in which $\varphi_1, \dots, \varphi_n$ are true.

nml:prf:snd:
thm:soundness

Teorema prf.1 (Soundness Theorem). *If every instance of $\varphi_1, \dots, \varphi_n$ is valid in the classes of models $\mathcal{C}_1, \dots, \mathcal{C}_n$, respectively, then $\mathbf{K}\varphi_1 \dots \varphi_n \vdash \psi$ implies that ψ is valid in the class of models $\mathcal{C}_1 \cap \dots \cap \mathcal{C}_n$.*

Prova. By induction on length of proofs. For brevity, put $\mathcal{C} = \mathcal{C}_1 \cap \dots \cap \mathcal{C}_n$.

1. Induction Basis: If ψ has a proof of length 1, then it is either a tautological instance, an instance of K, or of DUAL, or an instance of one of $\varphi_1, \dots, \varphi_n$. In the first case, ψ is valid in $\mathcal{C}$, since tautological instance are valid in *any* class of models, by ???. Similarly in the second case, by ??? and ???. Finally in the third case, since ψ is valid in $\mathcal{C}_i$ and $\mathcal{C} \subseteq \mathcal{C}_i$, we have that ψ is valid in $\mathcal{C}$ as well by ???.
2. Inductive step: Suppose ψ has a proof of length $k > 1$. If ψ is a tautological instance or an instance of one of $\varphi_1, \dots, \varphi_n$, we proceed as in the previous step. So suppose ψ is obtained by MP from previous **fórmulas** $\chi \rightarrow \psi$ and χ . Then $\chi \rightarrow \psi$ and χ have proofs of length $< k$, and by inductive hypothesis they are valid in $\mathcal{C}$. By ???, ψ is valid in $\mathcal{C}$ as well. Finally suppose ψ is obtained by NEC from χ (so that $\psi = \Box\chi$). By inductive hypothesis, χ is valid in $\mathcal{C}$, and by ??? so is ψ . $\square$

Créditos das Imagens

Referências Bibliográficas