

rec.1 Sequences

cmp:rec:seq;
sec

The set of primitive recursive functions is remarkably robust. But we will be able to do even more once we have developed an adequate means of handling *sequences*. We will identify finite sequences of natural numbers with natural numbers in the following way: the sequence $\langle a_0, a_1, a_2, \dots, a_k \rangle$ corresponds to the number

$$p_0^{a_0+1} \cdot p_1^{a_1+1} \cdot p_2^{a_2+1} \cdot \dots \cdot p_k^{a_k+1}.$$

We add one to the exponents to guarantee that, for example, the sequences $\langle 2, 7, 3 \rangle$ and $\langle 2, 7, 3, 0, 0 \rangle$ have distinct numeric codes. We can take both 0 and 1 to code the empty sequence; for concreteness, let \emptyset denote 0.

Let us define the following functions:

1. $\text{len}(s)$, which returns the length of the sequence s : Let $R(i, s)$ be the relation defined by

$$R(i, s) \text{ iff } p_i \mid s \wedge (\forall j < s) (j > i \rightarrow p_j \nmid s)$$

R is primitive recursive. Now let

$$\text{len}(s) = \begin{cases} 0 & \text{if } s = 0 \text{ or } s = 1 \\ 1 + (\min i < s) R(i, s) & \text{otherwise} \end{cases}$$

Note that we need to bound the search on i ; clearly s provides an acceptable bound.

2. $\text{append}(s, a)$, which returns the result of appending a to the sequence s :

$$\text{append}(s, a) = \begin{cases} 2^{a+1} & \text{if } s = 0 \text{ or } s = 1 \\ s \cdot p_{\text{len}(s)}^{a+1} & \text{otherwise} \end{cases}$$

3. $\text{element}(s, i)$, which returns the i th element of s (where the initial element is called the 0th), or 0 if i is greater than or equal to the length of s :

$$\text{element}(s, i) = \begin{cases} 0 & \text{if } i \geq \text{len}(s) \\ \min j < s (p_i^{j+2} \nmid s) - 1 & \text{otherwise} \end{cases}$$

Instead of using the official names for the functions defined above, we introduce a more compact notation. We will use $(s)_i$ instead of $\text{element}(s, i)$, and $\langle s_0, \dots, s_k \rangle$ to abbreviate

$$\text{append}(\text{append}(\dots \text{append}(\emptyset, s_0) \dots), s_k).$$

Note that if s has length k , the elements of s are $(s)_0, \dots, (s)_{k-1}$.

It will be useful for us to be able to bound the numeric code of a sequence in terms of its length and its largest element. Suppose s is a sequence of length

k , each element of which is less than equal to some number x . Then s has at most k prime factors, each at most p_{k-1} , and each raised to at most $x + 1$ in the prime factorization of s . In other words, if we define

$$\text{sequenceBound}(x, k) = p_{k-1}^{k \cdot (x+1)},$$

then the numeric code of the sequence s described above is at most $\text{sequenceBound}(x, k)$.

Having such a bound on sequences gives us a way of defining new functions using bounded search. For example, suppose we want to define the function $\text{concat}(s, t)$, which concatenates two sequences. One first option is to define a “helper” function $\text{hconcat}(s, t, n)$ which concatenates the first n symbols of t to s . This function can be defined by primitive recursion, as follows:

$$\begin{aligned} \text{hconcat}(s, t, 0) &= s \\ \text{hconcat}(s, t, n + 1) &= \text{append}(\text{hconcat}(s, t, n), (t)_n) \end{aligned}$$

Then we can define concat by

$$\text{concat}(s, t) = \text{hconcat}(s, t, \text{len}(t)).$$

But using bounded search, we can be lazy. All we need to do is write down a primitive recursive *specification* of the object (number) we are looking for, and a bound on how far to look. The following works:

$$\begin{aligned} \text{concat}(s, t) &= (\min v < \text{sequenceBound}(s + t, \text{len}(s) + \text{len}(t))) \\ &\quad (\text{len}(v) = \text{len}(s) + \text{len}(t) \wedge \\ &\quad (\forall i < \text{len}(s)) ((v)_i = (s)_i) \wedge \\ &\quad (\forall j < \text{len}(t)) ((v)_{\text{len}(s)+j} = (t)_j)) \end{aligned}$$

We will write $s \frown t$ instead of $\text{concat}(s, t)$.

Problem rec.1. Show that there is a primitive recursive function $\text{sconcat}(s)$ with the property that

$$\text{sconcat}(\langle s_0, \dots, s_k \rangle) = s_0 \frown \dots \frown s_k.$$

Photo Credits

Bibliography