

## rel.1 Orders

sfr:rel:ord:  
sec

Very often we are interested in comparisons between objects, where one object may be less or equal or greater than another in a certain respect. Size is the most obvious example of such a comparative relation, or *order*. But not all such relations are alike in all their properties. For instance, some comparative relations require any two objects to be comparable, others don't. (If they do, we call them *linear* or *total*.) Some include identity (like  $\leq$ ) and some exclude it (like  $<$ ). Let's get some order into all this.

**Definition rel.1** (Preorder). A relation which is both reflexive and transitive is called a *preorder*.

**Definition rel.2** (Partial order). A preorder which is also anti-symmetric is called a *partial order*.

**Definition rel.3** (Linear order). A partial order which is also connected is called a *total order* or *linear order*.

**Example rel.4.** Every linear order is also a partial order, and every partial order is also a preorder, but the converses don't hold. For instance, the identity relation and the full relation on  $X$  are preorders, but they are not partial orders, because they are not anti-symmetric (if  $X$  has more than one element). For a somewhat less silly example, consider the *no longer than* relation  $\preceq$  on  $\mathbb{B}^*$ :  $x \preceq y$  iff  $\text{len}(x) \leq \text{len}(y)$ . This is a preorder, even a connected preorder, but not a partial order.

The relation of *divisibility without remainder* gives us an example of a partial order which isn't a linear order: for integers  $n, m$ , we say  $n$  (evenly) divides  $m$ , in symbols:  $n \mid m$ , if there is some  $k$  so that  $m = kn$ . On  $\mathbb{N}$ , this is a partial order, but not a linear order: for instance,  $2 \nmid 3$  and also  $3 \nmid 2$ . Considered as a relation on  $\mathbb{Z}$ , divisibility is only a preorder since anti-symmetry fails:  $1 \mid -1$  and  $-1 \mid 1$  but  $1 \neq -1$ . Another important partial order is the relation  $\subseteq$  on a set of sets.

Notice that the examples  $L$  and  $G$  from ??, although we said there that they were called "strict orders" are not linear orders even though they are connected (they are not reflexive). But there is a close connection, as we will see momentarily.

**Definition rel.5** (Irreflexivity). A relation  $R$  on  $X$  is called *irreflexive* if, for all  $x \in X$ ,  $\neg Rxx$ .

**Definition rel.6** (Asymmetry). A relation  $R$  on  $X$  is called *asymmetric* if for no pair  $x, y \in X$  we have  $Rxy$  and  $Ryx$ .

**Definition rel.7** (Strict order). A *strict order* is a relation which is irreflexive, asymmetric, and transitive.

**Definition rel.8** (Strict linear order). A strict order which is also connected is called a *strict linear order*.

A strict order on  $X$  can be turned into a partial order by adding the diagonal  $\text{Id}_X$ , i.e., adding all the pairs  $\langle x, x \rangle$ . (This is called the *reflexive closure* of  $R$ .) Conversely, starting from a partial order, one can get a strict order by removing  $\text{Id}_X$ .

**Proposition rel.9.**

*sfr:rel:ord:  
strict-partial*

1. If  $R$  is a strict (linear) order on  $X$ , then  $R^+ = R \cup \text{Id}_X$  is a partial order (linear order).
2. If  $R$  is a partial order (linear order) on  $X$ , then  $R^- = R \setminus \text{Id}_X$  is a strict (linear) order.

*Proof.* 1. Suppose  $R$  is a strict order, i.e.,  $R \subseteq X^2$  and  $R$  is irreflexive, asymmetric, and transitive. Let  $R^+ = R \cup \text{Id}_X$ . We have to show that  $R^+$  is reflexive, antisymmetric, and transitive.

$R^+$  is clearly reflexive, since for all  $x \in X$ ,  $\langle x, x \rangle \in \text{Id}_X \subseteq R^+$ .

To show  $R^+$  is antisymmetric, suppose  $R^+xy$  and  $R^+yx$ , i.e.,  $\langle x, y \rangle$  and  $\langle y, x \rangle \in R^+$ , and  $x \neq y$ . Since  $\langle x, y \rangle \in R \cup \text{Id}_X$ , but  $\langle x, y \rangle \notin \text{Id}_X$ , we must have  $\langle x, y \rangle \in R$ , i.e.,  $Rxy$ . Similarly we get that  $Ryx$ . But this contradicts the assumption that  $R$  is asymmetric.

Now suppose that  $R^+xy$  and  $R^+yz$ . If both  $\langle x, y \rangle \in R$  and  $\langle y, z \rangle \in R$ , it follows that  $\langle x, z \rangle \in R$  since  $R$  is transitive. Otherwise, either  $\langle x, y \rangle \in \text{Id}_X$ , i.e.,  $x = y$ , or  $\langle y, z \rangle \in \text{Id}_X$ , i.e.,  $y = z$ . In the first case, we have that  $R^+yz$  by assumption,  $x = y$ , hence  $R^+xz$ . Similarly in the second case. In either case,  $R^+xz$ , thus,  $R^+$  is also transitive.

If  $R$  is connected, then for all  $x \neq y$ , either  $Rxy$  or  $Ryx$ , i.e., either  $\langle x, y \rangle \in R$  or  $\langle y, x \rangle \in R$ . Since  $R \subseteq R^+$ , this remains true of  $R^+$ , so  $R^+$  is connected as well.

2. Exercise.

□

**Problem rel.1.** Complete the proof of [Proposition rel.9](#), i.e., prove that if  $R$  is a partial order on  $X$ , then  $R^- = R \setminus \text{Id}_X$  is a strict order.

**Example rel.10.**  $\leq$  is the linear order corresponding to the strict linear order  $<$ .  $\subseteq$  is the partial order corresponding to the strict order  $\subsetneq$ .

## Photo Credits

## Bibliography